# OpenJade Project **Release Notes**

# **OpenSP 1.5.2**

Copyright © 2002, 2003, 2005 OpenJade Project Release 1.5.2 Edition Published September 2005

# **Table of Contents**

OpenSP 1.5.2 Release Notes	??
Applications of OpenSP	??
Obtaining OpenSP	
Supported Platforms	??
Building OpenSP from Source	??
Binary Distributions	
Installation	??
Support	??
Version 1.5.2	
Version 1.5.1	??
Version 1.5	??
Version 1.4	??
Version 1.3.4	??
Version 1.3.3	??

# List of Tables

# **OpenSP 1.5.2 Release Notes**

The OpenJade project provides a suite of tools and libraries for validating, processing and applying DSSSL (Document Style Semantics and Specification Language) style sheets to SGML and XML documents.

OpenJade is a project undertaken by the community to maintain and extend James Clark's Jade, as well as the related SP suite of SGML/XML processing tools. OpenJade and OpenSP are distributed under the same license as Jade.

OpenSP is written in C++ and provides a class library, libosp, which can be used as a basis for either open source or commercial projects. The library can be built as either a dynamic or static library.

# **Applications of OpenSP**

The OpenSP library has been used in a number of projects. The World Wide Web consortium on-line HTML and XHTML validator is based on the OpenSP library. In addition to the OpenSP library a set of command line tools are provided to support the validation and transformation of SGML files. In particular **onsgmls** can validate both XML and SGML documents held on a local file system or accessed remotely via a web server using the HTTP protocol with standard URI notation; **osx** will convert SGML to XML to allow a library of SGML documents to be processed with XML tools.

# **Obtaining OpenSP**

OpenSP is a project hosted at sourceforge.net and is available from the OpenJade web site at http://openjade.sourceforge.net or directly from the OpenJade project page at http://sourceforge.net/projects/openjade

OpenSP is provided in source code form. However, see the Section called *Binary Distributions* for information on how to obtain pre-compiled binary packages.

# Supported Platforms

OpenSP is intended to be as portable as possible. It should be possible to compile and build on most contemporary UNIX type platforms. In addition OpenSP should also build on Microsoft's Win32 based operating systems.

OpenSP is known to compile with both the GNU gcc c++ compiler and Microsoft Visual C++. Other compilers have not been extensively tested.

OpenSP 1.5.2 should build with the GNU gcc c++ compiler from version 2.95 up to version 4.0.

OpenSP has been built on a number of architectures including Intel i386 and ia64, Alpha AXP, Sparc, PPC and S/390.

The following table details known successful builds

#### Table 1. Platforms on which OpenSP 1.5 is known to build

Please report any successful builds not mentioned above to copenjade-devel@lists.sourceforge.net>, including any diffs/patches you have used.

# **Building OpenSP from Source**

OpenSP requires 20Mb to 50Mb of disk space to build. An installation will require around 10Mb to 20Mb depending on architecture.

On UNIX platforms, OpenSP makes use of the GNU software configuration tools (autoconf, libtool, automake etc). The GNU C++ compiler and make utility should also be used. The steps required to build the OpenSP tools (**onsgmls, osgmlnorm, ospam, ospcat, ospent, osx**) and libraries are as follows:

```
gzip -d OpenSP-1.5.2.tar.gz | tar xvf -
cd OpenSP-1.5.2
./configure [options...]
make
```

You may need to switch to the super user root to complete the installation

make install

The configure script supports many options. These can be displayed using the command

./configure --help

In addition to the standard options, the following table describes options specific to OpenSP.

#### Table 2. OpenSP specific configure options

Please refer to the system documentation for details on building on the Win32 platform.

# **Binary Distributions**

In addition to binary packages available from the project, OpenSP has been a part of many software distributions, including the major Linux distributions as well as FreeBSD. Expect pre-compiled and packaged versions of the latest version of OpenSP to be available from your distributor in due course.

## Installation

In addition to the OpenSP executables and libraries you will also need various DTDs and declaration files. Some DTDs and associated files (entity definitions) are available in the pubtext directory of the distribution. However, more authoritative sources should be referenced to ensure that up-to-date versions are used. If you wish to process XML files, then suitable SGML declarations for valid XML documents should be used. Again, a sample set of declarations (xml.dcl) is provided in the pubtext, but more complete or recent versions may be available from other sources.

OpenSP supports the standard SGML catalog facility; it is recommended that you set up and use such a catalog system.

## Support

If, after reading the documentation, you still have a problem, then you may require some additional help. The OpenJade project is a volunteer effort and as such does not provide any formal support. Instead, you should look to the community for support. Once part of the community, you, in turn, will be able to play your part in helping those that come after you. Here are some pointers to obtaining help:

- If you obtained your OpenSP distribution in binary form from your operating system distributor and you have a build related problem such as **onsgmls** crashing, then your first port of call should be your distributor.
- If you have a problem with the usage of the OpenSP tools, then you should try the openjade-users mailing list, see http://sf.net/projects/openjade/ for details.
- If you have a patch or bug fix for OpenJade, or are trying to use the OpenSP API then the openjade-devel mailing list is the appropriate forum.

Please choose only one mailing list to post to, as cross-posting is generally frowned upon. The various mailing lists are archived and searchable. It is always worth searching for your problem first, as it is often the case that someone has had the same problem before.

# Version 1.5.2

**Released December 2005.** The release contains a number of enhancements together with support for version 4.0 of the GNU C++ compiler.

The following table details the major improvements in OpenSP 1.5.2

Table 3. Changes for release 1.5.2

# Version 1.5.1

**Released October 2003.** The release contains a number of new features together with support for version 3.3 for the GNU C++ compiler.

The following table details the major improvements in OpenSP 1.5.1

Table 4. Changes for release 1.5.1

# Version 1.5

**Released November 2002.** In addition to many new features this version also supports the latest GNU C++ compiler: gcc 3.2 at the time of writing.

The following table details the major improvements in OpenSP 1.5

Table 5. Changes for release 1.5.1

# Version 1.4

Released February 2000. Version 1.4 added many improvements. Changes included:

- Support for the koi8-r (RFC 1489) encoding.
- OpenSP now supports long (GNU Style) command line options.
- · OpenSP is internationalized
- New option -h or --help shows a list of all available options with descriptions.
- New option -n and -x to see message numbers/relevant clauses with messages.
- More of Annex K of ISO 8879 supported: SGML declarations on subdocs, DATA declared value for attribures, DTD data entities and DTD notations for doctypes, complete IMPLYDEF support, ENTITIES REF constraints, URN parsing. Many new -w flags.
- DTDDECL support
- New spcat command line interface to the catalog manager.

# Version 1.3.4

**Released October 1999.** The second release from the OpenJade project. This version was distributed as part of OpenJade 1.3

Changes in OpenJade 1.3.4

• Added the Entity classes to the public interface of the library/DLL.

# Version 1.3.3

The first release from the OpenJade project